

Unit 5, Lesson 5: Representing Subtraction

Let's subtract signed numbers.

5.1: Equivalent Equations

For the equations in the second and third columns, write two more equations using the same numbers that express the same relationship in a different way. If you get stuck, consider looking at the examples in the first column.

$$2 + 3 = 5$$

$$9 + (-1) = 8$$

$$-11 + x = 7$$


$$3 + 2 = 5$$

$$5 - 3 = 2$$

$$5 - 2 = 3$$

5.2: Subtraction with Number Lines


1. Here is an unfinished number line diagram that represents a sum of 8.




- a. How long should the other arrow be?
- b. For an equation that goes with this diagram, Mai writes 3 + ? = 8. Tyler writes 8 3 = ?. Do you agree with either of them?

c. What is the unknown number? How do you know?

2. Here are two more unfinished diagrams that represent sums.





For each diagram:

a. What equation would Mai write if she used the same reasoning as before?

b. What equation would Tyler write if he used the same reasoning as before?

c. How long should the other arrow be?

d. What number would complete each equation? Be prepared to explain your reasoning.

> 3. Draw a number line diagram for (-8) - (-3) = ? What is the unknown number? How do you know?

5.3: We Can Add Instead

1. Match each diagram to one of these expressions:


$$3 + 7$$


$$3 - 7$$


$$3 + (-7)$$

$$3 - (-7)$$


A.







C.



2. Which expressions in the first question have the same value? What do you notice?

3. Complete each of these tables. What do you notice?

expression	value
8 + (-8)	
8 – 8	
8 + (-5)	
8 – 5	
8 + (-12)	
8 – 12	

expression	value
-5 + 5	
-5 - (-5)	
-5 + 9	
-5 – (-9)	
-5 + 2	
-5 - (-2)	

Are you ready for more?

It is possible to make a new number system using *only* the numbers 0, 1, 2, and 3. We will write the symbols for adding and subtracting in this system like this: $2 \oplus 1 = 3$ and $2 \ominus 1 = 1$. The table shows some of the sums.


Φ	0	1	2	3
0	0	1	2	3
1	1	2	3	0
2	2	3	0	1
3				

- 1. In this system, $1 \oplus 2 = 3$ and $2 \oplus 3 = 1$. How can you see that in the table?
- 2. What do you think $3 \oplus 1$ should be?
- 3. What about $3 \oplus 3$?
- 4. What do you think $3 \ominus 1$ should be?
- 5. What about $2 \ominus 3$?
- 6. Can you think of any uses for this number system?


Lesson 5 Summary

The equation 7 - 5 = ? is equivalent to ? + 5 = 7. The diagram illustrates the second

equation.




Notice that the value of 7 + (-5) is 2.




We can solve the equation ? + 5 = 7 by adding -5 to both sides. This shows that 7 - 5 = 7 + (-5)

Likewise, 3 - 5 = ? is equivalent to ? + 5 = 3.



Notice that the value of 3 + (-5) is -2.



We can solve the equation ? + 5 = 3 by adding -5 to both sides. This shows that 3 - 5 = 3 + (-5)

In general:

$$a - b = a + (-b)$$

If a - b = x, then x + b = a. We can add -b to both sides of this second equation to get that x = a + (-b)

NAME **PERIOD** DATE

Unit 5, Lesson 5: Representing Subtraction

1. Write each subtraction equation as an addition equation.

a.
$$a - 9 = 6$$

b.
$$p - 20 = -30$$

c.
$$z - (-12) = 15$$

d.
$$x - (-7) = -10$$

2. Find each difference. If you get stuck, consider drawing a number line diagram.

a.
$$9 - 4$$

e.
$$-9 - 4$$

$$b.4 - 9$$

$$f. 4 - (-9)$$

c.
$$9 - (-4)$$

$$g. -4 - (-9)$$

$$d. -9 - (-4)$$

$$h. -4 - 9$$

3. A restaurant bill is \$59 and you pay \$72. What percentage gratuity did you pay? (from Unit 4, Lesson 10)

4. Find the solution to each equation mentally.

a.
$$30 + a = 40$$

b.
$$500 + b = 200$$

c.
$$-1 + c = -2$$

$$d. d + 3,567 = 0$$

5. One kilogram is 2.2 pounds. Complete the tables. What is the interpretation of the constant of

proportionality in each case?

a.

		kilogram per pound
pounds	kilograms	
2.2	1	

b.

kilograms	pounds
1	2.2
7	
30	
0.5	

11

5.5

1

_____ pounds per kilogram

(from Unit 2, Lesson 3)