

NAME

DATE

PERIOD


Unit 5, Lesson 7: Connecting Representations of Functions

Let's connect tables, equations, graphs, and stories of functions.

7.1: Which are the Same? Which are Different?

Here are three different ways of representing functions. How are they alike? How are they different?

1. $y = 2x$



2.

3.

p	-2	-1	0	1	2	3
q	4	2	0	-2	-4	-6


NAME _____

DATE _____

PERIOD _____

7.2: Comparing Temperatures

The graph shows the temperature between noon and midnight in City A on a certain day.



The table shows the temperature, T , in degrees Fahrenheit, for h hours after noon, in City B.

h	1	2	3	4	5	6
T	82	78	75	62	58	59

1. Which city was warmer at 4:00 p.m.?
2. Which city had a bigger change in temperature between 1:00 p.m. and 5:00 p.m.?
3. How much greater was the highest recorded temperature in City B than the highest recorded temperature in City A during this time?
4. Compare the outputs of the functions when the input is 3.

NAME _____

DATE _____

PERIOD _____


7.3: Comparing Volumes

m.openup.org/1/8-5-7-3

The volume, V , of a cube with edge length s cm is given by the equation $V = s^3$.



The volume of a sphere is a function of its radius (in centimeters), and the graph of this relationship is shown here.



1. Is the volume of a cube with edge length $s = 3$ greater or less than the volume of a sphere with radius 3?
2. If a sphere has the same volume as a cube with edge length 5, estimate the radius of the sphere.
3. Compare the outputs of the two volume functions when the inputs are 2.

Are you ready for more?

Estimate the edge length of a cube that has the same volume as a sphere with radius 2.5.

NAME

DATE

PERIOD

7.4: It's Not a Race

Elena's family is driving on the freeway at 55 miles per hour.

Andre's family is driving on the same freeway, but not at a constant speed. The table shows how far Andre's family has traveled, d , in miles, every minute for 10 minutes.

t	1	2	3	4	5	6	7	8	9	10
d	0.9	1.9	3.0	4.1	5.1	6.2	6.8	7.4	8	9.1

1. How many miles per minute is 55 miles per hour?
2. Who had traveled farther after 5 minutes? After 10 minutes?
3. How long did it take Elena's family to travel as far as Andre's family had traveled after 8 minutes?
4. For both families, the distance in miles is a function of time in minutes. Compare the outputs of these functions when the input is 3.

NAME _____

DATE _____


PERIOD _____

Lesson 7 Summary

Functions are all about getting outputs from inputs. For each way of representing a function—equation, graph, table, or verbal description—we can determine the output for a given input.

Let's say we have a function represented by the equation $y = 3x + 2$ where y is the dependent variable and x is the independent variable. If we wanted to find the output that goes with 2, we can input 2 into the equation for x and find the corresponding value of y . In this case, when x is 2, y is 8 since $3 \cdot 2 + 2 = 8$.

If we had a graph of this function instead, then the coordinates of points on the graph are the input-output pairs. So we would read the y -coordinate of the point on the graph that corresponds to a value of 2 for x . Looking at the graph of this function here, we can see the point $(2, 8)$ on it, so the output is 8 when the input is 2.



A table representing this function shows the input-output pairs directly (although only for select inputs).

x	-1	0	1	2	3
y	-1	2	5	8	11

Again, the table shows that if the input is 2, the output is 8.

NAME

DATE

PERIOD

Unit 5, Lesson 7: Connecting Representations of Functions

1. The equation and the tables represent two different functions. Use the equation $b = 4a - 5$ and the table to answer the questions. This table represents c as a function of a .

a	-3	0	2	5	10	12
c	-20	7	3	21	19	45

- When a is -3, is b or c greater?
 - When c is 21, what is the value of a ? What is the value of b that goes with this value of a ?
 - When a is 6, is b or c greater?
 - For what values of a do we know that c is greater than b ?
2. Match each function rule with the value that could *not* be a possible input for that function.

- | | |
|---|-------|
| A. 3 divided by the input | 1. 3 |
| B. Add 4 to the input, then divide this value into 3 | 2. 4 |
| | 3. -4 |
| C. Subtract 3 from the input, then divide this value into 1 | 4. 0 |
| | 5. 1 |

(from Unit 5, Lesson 2)

3. Elena and Lin are training for a race. Elena runs her mile a constant speed of 7.5 miles per hour.

Lin's times are recorded every minute:

NAME _____


DATE _____

PERIOD _____

time (minutes)	1	2	3	4	5	6	7	8	9
distance (miles)	0.11	0.21	0.32	0.41	0.53	0.62	0.73	0.85	1

a. Who finished their mile first?

b. This is a graph of Lin's progress. Draw a graph to represent Elena's mile on the same axes.



c. For these models, is distance a function of time? Is time a function of distance? Explain how you know.

4. Find a value of x that makes the equation true:

$$-(-2x + 1) = 9 - 14x$$

Explain your reasoning, and check that your answer is correct.

(from Unit 4, Lesson 4)